

**WHAT IS CLAIMED IS:**

1. A telecommunications device, comprising:  
a positioning controller adapted to determine positioning information for said  
5 telecommunications device; and  
a wireless communications controller adapted to receive said positioning  
information from said positioning controller and cause an audible alarm to be  
generated if said telecommunications device is determined to be out of a first  
predetermined range  
10
2. A telecommunications device in accordance with claim 1, wherein said  
wireless communications controller is adapted to cause positioning information to be  
transmitted to an associated administration device when said telecommunications  
device is determined to be outside said first predetermined range for longer than a  
15 predetermined period.
3. A telecommunications device in accordance with claim 1, wherein said  
wireless communications controller is adapted to cause positioning information to be  
transmitted to an associated administration device when said telecommunications  
20 device is determined to be outside a second predetermined range.
4. A telecommunications device as recited in claim 1, wherein said  
positioning controller receives Global Positioning System (GPS) signals to determine  
said positioning information.  
25
5. A telecommunications device as recited in claim 4, wherein said  
wireless communications controller is a cellular telephone controller.
6. A telecommunications device as recited in claim 4, wherein said  
30 wireless communications controller is a personal communications service (PCS)  
controller.

7. A telecommunications device as recited in claim 1, wherein said predetermined range includes a geographic, date, daily routine, and time-of-day ranges.

5 8. A telecommunications device as recited in claim 1, wherein said positioning controller is adapted to receive predetermined range information via said wireless communications controller.

9. A telecommunications system, comprising:  
10 a wireless device including a positioning controller and a communications controller, said wireless device adapted to cause an audible warning to be generated if said wireless device is determined to be outside a first predetermined range; and  
an administrative device for receiving alerts from said wireless communication device via said communications controller when said positioning controller  
15 determines that said wireless device is outside said first predetermined range for longer than a predetermined period or is outside said first predetermined range and a second predetermined range.

10. A telecommunications system in accordance with claim 9, wherein  
20 said positioning controller receives global positioning network signals for determining a position of said wireless communications device.

11. A telecommunications system in accordance with claim 10, wherein said communications controller comprises a cellular network controller for  
25 transmitting on a cellular telephone network to said administrative device.

12. A telecommunications system in accordance with claim 9, wherein said administrative device is adapted to display location information when said wireless device is determined to be outside said second predetermined range.

30

13. A telecommunications system in accordance with claim 12, wherein said predetermined range is associated with one or more of a geographic range,

time-of-day range, daily routine, or date range.

14. A telecommunications method, comprising:  
affixing a wireless device to a predetermined object; and  
5 programming said wireless device to be in a first predetermined range;  
generating an audible warning if said wireless device is determined to be outside  
said first predetermined range.

15. A telecommunications method in accordance with claim 14, further  
10 comprising transmitting one or more alerting signals to an administrative device  
when said wireless device is determined to be outside said first predetermined range  
for longer than a predetermined period.

16. A telecommunications method in accordance with claim 14, further  
15 comprising transmitting one or more alerting signals to an administrative device  
when said wireless device is determined to be outside a second predetermined  
range.

17. A telecommunications method in accordance with claim 14, wherein  
20 said administrative device comprises a telephony device.

18. A telecommunications method in accordance with claim 16, wherein  
said one or more alerting signals comprise one or more e-mail signals.

25 19. A telecommunications method in accordance with claim 16, wherein  
said one or more alerting signals comprise one or more Instant Messaging signals.

20. A telecommunications method in accordance with claim 16, wherein  
said first and second predetermined ranges are associated with at least one of  
30 geographic range, daily routine, time-of-day range, or date range.